

## Process Sheet

### Additional Product

Job Number:

Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0 DC DOCUMENT CONTROL

**Comment:** Photocopy bluefile & type labels per PPPD350-748-101

2.0	28459A	X-TUBE AS 350/355 HI FWD
-----	--------	--------------------------

**Comment:** Sub-Component X-TUBE AS 350/355 HI FWD  
D350-748-141 B *28459A*

3.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------

**Comment:** PACKAGING RESOURCE #1  
Pick Packing Kit

4.0	D35001	350 SADDLE
-----	--------	------------

Comment: Qty.: 4.0000 Each(s)/Unit Total: 4.0000 Each(s)  
350 SADDLE  
Batch: B28477 ✓

5.0	D35011	BUSHING
-----	--------	---------

Comment: Qty.: 16.0000 Each(s)/Unit Total: 16.0000 Each(s)  
BUSHING  
Batch: B29799 1X

**Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

Date: Tuesday, 9/12/2006 1:08:27 PM  
User: Kim Johnston

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 350/355 AS X-TUBE FWD

Job Number: 28459

Part Number: D350748101

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

AN46A

Bolt



Comment: Qty.: 16.0000 Each(s)/Unit Total : 16.0000 Each(s)

Bolt

Batch: M10215 ✓

7.0

AN441A

bolt



Comment: Qty.: 8.0000 Each(s)/Unit Total : 8.0000 Each(s)

bolt

Batch: M101538 ✓

8.0

AN532A

Bolt



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Bolt

Batch: M103338 ✓

9.0

AN960JD416

Washer



Comment: Qty.: 32.0000 Each(s)/Unit Total : 32.0000 Each(s)

Washer

Batch: M102929 ✓

10.0

AN960JD516

Washer



Comment: Qty.: 8.0000 Each(s)/Unit Total : 8.0000 Each(s)

Washer

Batch: M102519 ✓

11.0

MS21042L4

Nut



Comment: Qty.: 24.0000 Each(s)/Unit Total : 24.0000 Each(s)

Nut

Batch: M103914 ✓

12.0

MS21042L5

Nut



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Nut

Batch: M100564 ✓

*CPB/10/11/0*

**Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes ☒ No ☐ DQA: ☒ Date: 21/04/12  
 QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

Date: Tuesday, 9/12/2006 1:08:27 PM  
User: Kim Johnston

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 350/355 AS X-TUBE FWD

Job Number: 28459

Part Number: D350748101

Job Number:



Seq. #:

Machine Or Operation:

Description :

13.0

QC4

INSPECT 100% KITS FOR COMPLETENESS



C207104/11 (1)

Comment: INSPECT 100% KITS FOR COMPLETENESS

14.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and pack for shipping as per PPP D350-748-101

Location:

PPP Rev: D1014

15.0

QC21

FINAL INSPECTION/W/O RELEASE



(1)

Comment: FINAL INSPECTION/W/O RELEASE

C207104/12

Job Completion



u St. M. 11

**Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

3.10 Apply a continuous bead of Sikaflex-241/-291 or Proseal 890 or MIL-S-8802 Class B2 sealant in the following locations as per Figure 6:

- A) Along saddle/crosstube interface.
- B) Between the saddle flanges.
- C) Along saddle/skidtube interface.

#### 4.0 WEIGHT AND BALANCE

The following weight and balance information is for Dart crosstube installations only. This data should be similar to the existing installation. Differences from the parts removed are the responsibility of the installer.

DART CROSSTUBE	FWD/AFT	WEIGHT	STA	MOMENT
D350-748-101	Fwd	35.2 lb (16.0 kg)	106.3 in (2.70 m)	3742 lb-in (43.2 kg-m)
D350-748-201	Aft	34.7 lb (15.7 kg)	162.4 in (4.12 m)	5635 lb-in (64.7 kg-m)

#### 5.0 PARTS LIST

Qty -101	Qty -201	Part Number	Description
X		D350-748-101	CROSSTUBE INSTALLATION, AS 350/355 HIGH FWD
	X	D350-748-201	CROSSTUBE INSTALLATION, AS 350/355 HIGH AFT
1		D350-748-141	CROSSTUBE ASSEMBLY, AS 350/355 HIGH FWD
	1	D350-748-241	CROSSTUBE ASSEMBLY, AS 350/355 HIGH AFT
*2	*2	D3502-1	SUPPORT
*2	*2	D2856-400-710	ABRASION STRIP
*1	*1	AELS-1032-225	INSERT
*2	*2	MS21920-20	CLAMP
*1	*1	MS27039-1-10	SCREW
*1	*1	AN960JD10	WASHER
4	4	D3500-1	SADDLE
16	16	D3501-1	BUSHING
16	16	AN4-6A	BOLT
8	8	AN4-41A	BOLT
4	4	AN5-32A	BOLT
32	32	AN960JD416	WASHER
8	8	AN960JD516	WASHER
24	24	MS21042L4	NUT (OR MS21042-4)
4	4	MS21042L5	NUT (OR MS21042-5)

\* REFERENCE ONLY. PARTS ARE INCLUDED IN D350-748-141/241 ASSEMBLIES ABOVE

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
28459

Date:  
User:Tuesday, 9/12/2006 1:08:45 PM  
Kim Johnston

## Process Sheet

<b>Customer</b> :	CU-DAR001 Dart Helicopters Services	<b>Drawing Name</b> :	X-TUBE AS 350/355 HI FWD
<b>Job Number</b> :	28459A	<b>Part Number</b> :	D350748141
<b>Estimate Number</b> :	12484	<b>Drawing Number</b> :	D350-748-141
<b>P.O. Number</b> :	N/A	<b>Project Number</b> :	N/A
<b>This Issue</b> :	9/12/2006	<b>Drawing Revision</b> :	UNDER REVIEW
<b>Prsht Rev.</b> :	NC	<b>Material</b> :	N/A
<b>First Issue</b> :	N/A	<b>Due Date</b> :	10/25/2006
<b>Previous Run</b> :	28458A	<b>Qty:</b>	1
<b>Written By</b> :		<b>Um:</b>	Each
<b>Checked &amp; Approved By</b> :	06 09.12		
<b>Comment</b> :	Est Rev: A New Issue 06-07-05 JLM Est Rev: B Update cadplate process 06-09-12 KJ		

## Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description :

1.0

DC

DOCUMENT CONTROL



Comment: DOCUMENT CONTROL

Photocopy bluefile and create labels as per PPP D350-748-141 CHG001

N/A

2.0

D6017115

Crosstube Material



Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s)

Crosstube Material

D6017-115

2.339" OD X 2.000" ID

Batch: 2244

BG

06-09-14

3.0

MORI SEIKI

MORI SEIKI CNC LATHE LARGE



Comment: MORI SEIKI CNC LATHE LARGE

1-Fill tube with sand &amp; install plugs on both ends as per Folio FA648

2-Turn first side as per Folio FA648

3-Deburr &amp; Inspect for surface damage. Repair damage within limits as per Dwg D350-748-141.

M8 06/09/16 1

4.0

QC1

INSPECT ALL DIM TO DIM SHEET



Comment: INSPECT ALL DIM TO DIM SHEET

M8 06/09/16 1



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Tuesday, 9/12/2006 1:08:45 PM  
User: Kim Johnston

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: X-TUBE AS 350/355 HI FWD

Job Number: 28459A

Part Number: D350748141

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

MORI SEIKI

MORI SEIKI CNC LATHE LARGE



Comment: MORI SEIKI CNC LATHE LARGE

1-Turn second side as per Folio FA648

2-Deburr & Inspect for surface damage. Repair damage within limits as per Dwg D350-748-141.

3-Scribe Part & Batch as per Dwg D350-748-141

M8

06/09/16

1

6.0

QC1

INSPECT ALL DIM TO DIM SHEET



Comment: INSPECT ALL DIM TO DIM SHEET

M8

06/09/16

1

7.0

QC8

SECOND CHECK



Comment: SECOND CHECK

BC

06-09-16

1

8.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

Remove all Machinig Marks

Pm 06-9-26(1)

9.0

OUTSIDE SERVICE

OUTSIDE SERVICES



Comment: Sub-Contracting OUTSIDE SERVICES

Issue P/O: 2129

Heat Treat to min 180 KSI As per Dwg D350-748-141

Sand Blast tube after Heat Treat

Possibe Supplier: Vac Aero

Ensure Certificate of Conformity is attached

06/09/24 @

14-24-24

10.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Receive & Inspect For Transit Damage

Ensure certificate of conformaty is attached

06/10/12

AD

5.7.5

W/O:		WORK-ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
07.3.29	15	MAGNETIC PARTICLE INSPECT PER PART QSI 038 4.2 CAD PLATE PER DAS-QQ-P-4163, CLASS I, TYPE II REF. D35-748-14) Rev D				UP 07.03.29 per QSI 042	

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Tuesday, 9/12/2006 1:08:45 PM  
User: Kjm Johnston

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: X-TUBE AS 350/355 HI FWD

Job Number: 28459A

Part Number: D350748141

Job Number:



Seq. #:

Machine Or Operation:

Description :

11.0

QC6

DIMENSIONAL CHECK



*Job 10-19 ①*



Comment: DIMENSIONAL CHECK

12.0

BENDING

BENDING MACHINE



Comment: BENDING MACHINE

Bend tube as per Dwg D350-748-141 using CNC bender program D350F and Folio FT

*DP 6-10-31*

13.0

QC6

DIMENSIONAL CHECK



*Job 02-01 ①*



Comment: DIMENSIONAL CHECK

14.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Remove all marks from tube within limits of D350-748-141

2-Drill Tube as per Dwg D350-748-141 Using DT8876 Drill Jigs,

Set-up drill table as per QSI 010

3-Deburr

4-Engrave Part # and Batch # as per Dwg D350-748-141

*JD 7-2-26*

*RT 07-02-13*

*RT 07-02-13*

*NA*

*90*

15.0

OUTSIDE SERVICE

OUTSIDE SERVICES



Comment: Sub-Contracting OUTSIDE SERVICES

Issue P/O: *3206*

Stress relief at 375° for 5 hours

Magnetic Particle Inspect per ASTM E1444

Cadium Plate per QQ-P-416F, Class 1, Type 2

Embrittle relief at 375° for 8 hours, Chromate Treat

Possible Supplier: Southwest United Industries

Ensure Certificate of Conformity is attached

*C 707102/280*

*POSITIVE  
RECALL*

*OK 02.03.29*

*SEE WA CHANGE*

16.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Receive & Inspect For Transit Damage

Ensure certificate of conformity is attached

*12/3/2006*

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
<del>07-02-01</del> 07-02-01	14.0	QCS req'd after 14. form. change <i>J</i>				<i>J</i>	
		QCS inspect work to current step.	<i>J</i>	07-02-16		07-02-01	07-02-01

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Tuesday, 9/12/2006 1:08:45 PM  
User: Kim Johnston

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: X-TUBE AS 350/355 HI FWD

Job Number: 28459A

Part Number: D350748141

Job Number:



Seq. #:

Machine Or Operation:

Description :

17.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

20703-290

18.0

SPRAY PAINTING

SPRAY PAINTING



Comment: SPRAY PAINTING

1-Prime inside crosstube as per QSI 005 4.2

2-Paint Outside of Tube as per Dart QSI 005 4.2

> m 01 04 09

①

19.0

QC14

Inspect Spray Paint



Comment: Inspect Spray Paint

Then, Wrap in plastic bag to protect from scratches

25 07-04-10

20.0

D35021

SUPPORT



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

SUPPORT

Batch: 28476

25 07-04-10

21.0

D2856400

Abrasion Strip



Comment: Qty.: 1.2401 f(s)/Unit Total : 1.2401 f(s)

Abrasion Strip 7.10" long x2

Batch: 29850

25 07-04-10

22.0

ALS41032225

Insert



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Insert

Batch: 19393

25 07-04-10

23.0

AN960JD10

Washer



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Washer

Batch: 103641

25 07-04-10

**Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes ☐ No ☒ DQA: ☒ Date: 07/04/12  
 QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

Date: Tuesday, 9/12/2006 1:08:46 PM  
User: Kim Johnston

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: X-TUBE AS 350/355 HI FWD

Job Number: 28459A

Part Number: D350748141

Job Number:



Seq. #:

Machine Or Operation:

Description :

24.0

MS2192020

Clamp (per MIL-DTL-8783C)



Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s)

Clamp (per MIL-DTL-8783C)

Batch: 103478

RT 07-04-10

25.0

MS27039110

Screw



Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s)

Screw

Batch: 18836

RT 07-04-10

26.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Install Ground wire Insert, then insert screw and washer

2-Install Abrasion strips as per Dwg D350-748-141 & QSI 035.

3-Install supports Using D18876 as per Dwg D350-748-141, Torque to 60-80 IN-LBS

RT 07-04-10

27.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

DP 7-4-11

28.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and pack for shipping as per PPP D350-748-241

Location:

PPP Rev:

PPP

B 28459

7/4/11 (1)

29.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

u 07-04-11 (1)

Job Completion





W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN QP	DRAWN BY QP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED #	APPROVED #	DRAWING NO. D350-748-141	REV. C SHEET 1 OF 3
DATE 06.08.14		TITLE CROSSTUBE (AS 350/355 HI FWD)	SCALE NTS
A	06.03.31	NEW ISSUE	
B	06.06.30	ADD D6017-115 & PRIME AND PAINT	
C	06.08.14	ADD CAD PLATING	

**UNDER REVIEW**

QP 06.08.07

CAD PLATING PROCLAMP  
LOOSE CHANGE

QTY	P/N	DESCRIPTION
X	D350-748-141	CROSSTUBE ASSEMBLY (AS 350/355 HI FWD)
1	D6017-115	CROSSTUBE (OR D6015-125)
2	D3502-1	SUPPORT
2	D2856-400-710	ABRASION STRIP
1	AELS-1032-225	INSERT
1	AN960JD10	WASHER
2	MS21920-20	CLAMP (PER DART SPEC. M-MS21920-20)
1	MS27039-1-10	SCREW

**D350-748-141 CROSSTUBE:**

- 1) MATERIAL: MANUFACTURED FROM D6017-115 OR D6015-125  
FINISHED LENGTH = 110.27±0.06
- 2) MACHINE PER MACHINING DETAIL ON PAGE 3. BLEND OUT ALL EDGES FROM MACHINING LONGITUDINALLY, TRANSITIONS SHOULD BE SMOOTH. NOTE: ALL HOLES ARE DRILLED AFTER BENDING.
- 3) SCRIBE DART PART NUMBER AND BATCH NUMBER IN THIS AREA WITH VIBRATING STYLUS.
- 4) BEND PROGRESSIVELY WITH A MINIMUM OF 7 PASSES. MAXIMUM TUBE FLATTENING DUE TO BENDING IS 6% BASED ON O.D.
- 5) HEAT TREAT TO MIN. 180 KSI PER MIL-T-6736 OR AMS 2759-1C AFTER TURNING
- 6) FINISH: CADMIUM PLATE PER QQ-P-416F, CLASS 1, TYPE II  
MAGNETIC PARTICLE INSPECT PER ASTM E1444 AFTER CADMIUM PLATING  
PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2  
PAINT OUTSIDE PER DART QSI 005 4.2
- 7) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE. WHEN DRILLING HOLES EXTREME CARE MUST BE TAKEN AND CAREFUL DEBURRING PERFORMED TO ENSURE A CLEAN HOLE WITH NO CRACKING/CHIPPING/GROOVES.
- 8) INSTALL D2856-400-710 ABRASION STRIP WITH A GAP ON BOTTOM SIDE OF CROSSTUBE, CENTERED OPPOSITE D3502-1 SUPPORT, PER QSI 035.
- 9) TORQUE MS21920-20 CLAMPS 60 TO 80 IN-LB
- 10) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 11) ALL DIMENSIONS ARE IN INCHES
- 12) PART IS SYMMETRIC ABOUT CENTERLINE EXCEPT FOR Ø0.297 HOLE.


RELEASED

06.08.15 #

Copyright © 2006 by DART AEROSPACE LTD




THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





**D350-748-141 BEND/ASSEMBLY  
DETAIL**

UNDER REVIEW  
06.08.14




**RELEASED**

06.08.15 #



COPYRIGHT © 2008 BY DART AEROSPACE LTD.		DESIGN	99	DRAWN BY	99	<b>DART</b>	DART AEROSPACE LTD. HARRISBURG, ONTARIO, CANADA
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		CHECKED	4	APPROVED	4	DRAWING NO.	REV. C
		DATE	06.08.14			D350-748-141	SHEET 2 OF 3
						TITLE	SCALE
						CROSSTUBE (AS 350/355 HI FWD)	1:8

WORK ORDER  
 08459A  
 (UNCONTROLLED COPY)  
 SUBJECT TO AMENDMENT  
 WITHOUT NOTICE  
 ENGINEERING  
 RETURN TO  
 SHOP COPY



**D350-748-141 MACHINING DETAIL**

**DETAIL D: CUFF  
SCALE 1:1**



**DETAIL E:  
CUFF TRANSITION  
SCALE 9:1**

**RELEASED**

06.08.15

**UNDER REVIEW**

COPYRIGHT © 2008 BY DART AEROSPACE LTD.			
DESIGN	DP	DRAWN BY	DP
CHECKED	A	APPROVED	A
DATE	06.08.14	TITLE	CROSSTUBE (AS 350/355 HI FWD)
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		DRAWING NO.	D350-748-141
		REV. C	SHEET 3 OF 3
		SCALE	1:3

NO. 28459 A  
WORK ORDER  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
UNCONTROLLED COPY  
ENGINEERING  
RETURN TO  
SHOP COPY

<b>DART AEROSPACE LTD</b>		<b>Work Order:</b>	28459A
<b>Description:</b> X-Tube AS 350/355 HI FWD		<b>Part Number:</b>	350-748-141
<b>Inspection Dwg:</b> 350-748-141 <b>Rev:</b> C		<b>Page 1 of 1</b>	

### FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
.062	+ .010 - .000	.065	✓			
.063	+ .010 - .000	.063	✓			
4.26	± .03	4.26	✓			
2.240	+ .005 - .000	2.241	✓			
2.180	"	2.185	✓			
2.237	"	2.242	✓			
2.272	"	2.276	✓			
2.306	"	2.310	✓			
2.339	"	2.340	✓			
.062	+ .010 - .000	.065	✓			
.063	+ .010 - .000	.063	✓			
4.26	± .03	4.26	✓			
2.240	+ .005 - .000	2.242	✓			
2.180	"	2.185	✓			
2.237	"	2.242	✓			
2.272	"	2.276	✓			
2.306	"	2.310	✓			
2.339	"	2.340	✓			
110.27	+ .06 - .00	110.27	✓			

<b>Measured by:</b> MS	<b>Audited by:</b> BG	<b>Prototype Approval:</b>
<b>Date:</b> 06/09/16	<b>Date:</b> 06-09-14	<b>Date:</b>

Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	



# VAC AERO

INTERNATIONAL INC.

## RELEASE NOTE

GST No.: R105468102

OAK 79915-1



HEAD OFFICE  
1371 SPEERS ROAD, OAKVILLE, ONTARIO  
CANADA L6L 2X5  
TEL: (905) 827-4171 FAX: (905) 827-7489



2009 WYECROFT ROAD, UNIT B  
OAKVILLE, ONTARIO  
CANADA L6L 6J4  
TEL: (905) 827-7377 FAX: (905) 827-1380



QUEBEC DIVISION  
7450 RUE VÉRITÉ STREET, ST. LAURENT, QUÉBEC  
CANADA H4S 1C5  
TEL: (514) 334-4240 FAX: (514) 334-6269

10/11/2006

MM / DD / YYYY

PAGE: 1

BILL TO:

1DAR01  
DART AEROSPACE LTD.  
1270 ABERDEEN ST.  
HAWKESBURY, ON

SHIP TO: DART AEROSPACE LTD.  
1270 ABERDEEN ST.  
HAWKESBURY, ON

K6A 1K7

K6A 1K7

DATE SHIPPED	SHIP VIA	F.O.B.
10/11/2006		ORIGIN
CUSTOMER P/O No.	JOB No.	TERMS
PO00002129		COD

PART No.	DESCRIPTION	UOM	QTY ORD	QTY SHPD	TEST RESULTS
D350-CROSS TUBES		EA	10	10	
<p>Process Specifications: Procedure: 4353 HEAT TREATED TO 180-200 KSI PER AMS-2759-1C 100% HARDNESS TESTED PER ASTM E-18 HRC 40-43 MATERIAL: 4130</p> <p>5 PCS. P/N: D350748141 B28459, B28460, B28458, B28466, B28461 5 PCS. P/N: D350748241 B28162, B28464, B28465, B28463, B28471</p> <p>SANDBLASTED AFTER HEAT TREAT</p>					
<div>100% HARDNESS TESTED 10 PCS. 42/43 HRC</div> <div>VALQ TH. 25 Q.C.</div>					

I hereby certify that the material covered by this release note has been inspected and tested and conforms to all specifications relevant thereto in accordance with the conditions of the contract / or purchase order.

ON BEHALF OF VAC AERO INTERNATIONAL INC.

*Laura Freeman*  
Authorized Q.C. Inspector




HEAT TREATING

VACUUM BRAZING · HEAT TREATING · SPECIAL PROCESSING · FURNACE EQUIPMENT





# Crosstube Bend Dimension Sheet



PART NUMBER: 0350 748 141

BATCH NUMBER: 28459

DRAWING: 0350 748 141 REVISION: C

H: 23.25

1/2 SPAN: 40.9

TOTAL SPAN: 81.8

ANGLE: 75

QC 15: [Signature]  
DATE: 07-12-01  
QTY: 1

0.660 CUFF





# Southwest United Industries, Inc.

SOUTHWEST UNITED INDUSTRIES, INC.  
422 S. St. Louis Tulsa, OK 74120

Page 1 of 2

## CERTIFICATION

DART AEROSPACE LTD

Certification #: 23920

Certification Date: 03/26/2007

Qty	Part Number/Description	Job-No/Order-No/Ctl-No
1	D350-748-141 CROSSTUBE	48090 PO00003206 B28459
1	D350-748-141 CROSSTUBE	48329 PO00003206 B29757
1	D350-748-141 CROSSTUBE	48330 PO00003206 B28773
1	D350-748-141 CROSSTUBE	48331 PO00003206 B29760
1	D350-748-141 CROSSTUBE	48332 PO00003206 B28776
1	D350-748-141 CROSSTUBE	48333 PO00003206 B28775
1	D350-748-141 CROSSTUBE	48334 PO00003206 B28774

1. Stress relieve at 350-400F for 4 hours minimum
2. Cadmium plate per AMS-QQ-P-416B, Type II, Class 1 (QQ-P-416, Type II, Class 1)
3. Embrittlement relieve within 4 hours of plating at 350-400F for 8 hours minimum
4. Magnetic particle inspect per ASTM E 1444-05. No linear indications/cracks allowed.

Qty Ins: 7    Qty Rej: 0    Qty Acc: 7

5. Inspect

FAA Repair Station CN2R748K

Subject to Southwest United Industries, Inc. Standard Terms and Conditions available for review at [www.swunited.com](http://www.swunited.com)



# Southwest United Industries, Inc.

SOUTHWEST UNITED INDUSTRIES, INC.  
422 S. St. Louis Tulsa, OK 74120

Page 1 of

## PACKING LIST

DART AEROSPACE LTD  
1270 ABERDEEN STREET  
HAWKESBURY, ON K6A 1K7  
CANADA

Ship ID: 18869  
Ship Date: 03/26/2007  
Terms: C.O.D.

Certification #: 23920

Certification Date:

1 D350-748-141  
CROSSTUBE

Ref-No: B28459

Job-No: 48090

P/O #: PO00003206

1 D350-748-141  
CROSSTUBE

Ref-No: B29757

Job-No: 48329

P/O #: PO00003206

1 D350-748-141  
CROSSTUBE

Ref-No: B28773

Job-No: 48330

P/O #: PO00003206

1 D350-748-141  
CROSSTUBE

Ref-No: B29760

Job-No: 48331

P/O #: PO00003206

1 D350-748-141  
CROSSTUBE

Ref-No: B28776

Job-No: 48332

P/O #: PO00003206

1 D350-748-141  
CROSSTUBE

Ref-No: B28775

Job-No: 48333

P/O #: PO00003206

1 D350-748-141  
CROSSTUBE

Ref-No: B28774

Job-No: 48334

P/O #: PO00003206

# OF JOBS ON 23920:

7

SHIPPED QTY FOR 23920:

7

Tracking #: SCX K  
Ship Via: OTHERS

FAA Repair Station CN2R748K

Subject to Southwest United Industries, Inc. Standard Terms and Conditions available for review at [www.swunited.com](http://www.swunited.com)





## Southwest United Industries, Inc.

SOUTHWEST UNITED INDUSTRIES, INC.  
422 S. St. Louis Tulsa, OK 74120

Page 2 of 2

### CERTIFICATION

We certify that the parts listed above have been processed in accordance with the requirements and specifications of the above referenced purchase order. Documentation is on file and available for review.

Certification By: 

FAIN, MARK



FAA Repair Station CN2R748K

Subject to Southwest United Industries, Inc. Standard Terms and Conditions available for review at [www.swunited.com](http://www.swunited.com)

**DART**

DESIGN <i>qp</i>	DRAWN BY <i>qp</i>	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>HA</i>	APPROVED <i>HA</i>	DRAWING NO. D350-748-141	REV. D SHEET 1 OF 3
DATE 06.10.31		TITLE CROSSTUBE (AS 350/355 HI FWD)	SCALE NTS
A	06.03.31	NEW ISSUE	
B	06.06.30	ADD D6017-115 & PRIME AND PAINT	
C	06.08.14	ADD CAD PLATING	
D	06.10.31	MAG. PARTICLE AND CAD PLATE AS MFD.	

**RELEASED**06.10.31 *HA*

QTY	P/N	DESCRIPTION
X	D350-748-141	CROSSTUBE ASSEMBLY (AS 350/355 HI FWD)
1	D6017-115	CROSSTUBE (OR D6015-125)
2	D3502-1	SUPPORT
2	D2856-400-710	ABRASION STRIP
1	AELS-1032-225	INSERT
1	AN960JD10	WASHER
2	MS21920-20	CLAMP (PER DART SPEC. M-MS21920-20)
1	MS27039-1-10	SCREW

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 26459A

**D350-748-141 CROSSTUBE:**


- 1) MATERIAL: MANUFACTURED FROM D6017-115 OR D6015-125  
FINISHED LENGTH = 110.27±0.06
- 2) MACHINE PER MACHINING DETAIL ON PAGE 3. BLEND OUT ALL EDGES FROM MACHINING LONGITUDINALLY, TRANSITIONS SHOULD BE SMOOTH. NOTE: ALL HOLES ARE DRILLED AFTER BENDING.
- 3) SCRIBE DART PART NUMBER AND BATCH NUMBER IN THIS AREA WITH VIBRATING STYLUS.
- 4) BEND PROGRESSIVELY WITH A MINIMUM OF 7 PASSES. MAXIMUM TUBE FLATTENING DUE TO BENDING IS 6% BASED ON O.D.
- 5) HEAT TREAT TO MIN. 180 KSI PER MIL-T-6736 OR AMS 2759-1C AFTER TURNING
- 6) FINISH: MAGNETIC PARTICLE INSPECT PER DART QSI 038 4.2  
CADMIUM PLATE PER AMS-QQ-P-416B, CLASS 1, TYPE II  
PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2  
PAINT OUTSIDE PER DART QSI 005 4.2
- 7) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE. WHEN DRILLING HOLES EXTREME CARE MUST BE TAKEN AND CAREFUL DEBURRING PERFORMED TO ENSURE A CLEAN HOLE WITH NO CRACKING/CHIPPING/GROOVES.
- 8) INSTALL D2856-400-710 ABRASION STRIP WITH A GAP ON BOTTOM SIDE OF CROSSTUBE, CENTERED OPPOSITE D3502-1 SUPPORT, PER QSI 035.
- 9) TORQUE MS21920-20 CLAMPS 60 TO 80 IN-LB
- 10) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 11) ALL DIMENSIONS ARE IN INCHES
- 12) PART IS SYMMETRIC ABOUT CENTERLINE EXCEPT FOR Ø0.297 HOLE.

**UNDER REVIEW**07.02.16 *HA*


CUFF BEING REDUCED

*OK 07.03.29***Copyright © 2006 by DART AEROSPACE LTD**


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




**SECTION B-B**  
SCALE 1:2



**SECTION C-C**  
SCALE 1:2



**VIEW A-A**  
SCALE 1:2



**UNDER REVIEW**

07.02.16

**RELEASED**

06.10.31

OK  
R. J. 2.05

NO. 28455A  
WORK ORDER  
WITHOUT NOTICE  
SUBJECT TO AMENDMENT  
UNCONTROLLED COPY  
ENGINEERING  
RETURN TO  
SHOP COPY

COPYRIGHT © 2006 BY DART AEROSPACE LTD.


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DESIGN	90	DRAWN BY	90	<b>DART</b>	DART AEROSPACE LTD. WINDSOR, ONTARIO, CANADA
CHECKED	H	APPROVED	H	DRAWING NO.	D350-748-141
DATE	06.10.31	TITLE	CROSSTUBE (AS 350/355 HI FWD)	SCALE	1:8

REV. D



SHEET 2 OF 3





### D350-748-141 MACHINING DETAIL

#### DETAIL D: CUFF SCALE 1:1



UNDER REVIEW

#### DETAIL E: CUFF TRANSITION SCALE 9:1

RELEASED

06.10.31

COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DESIGN 90	DRAWN BY 90	<b>DART</b>	DART AEROSPACE LTD. HARRISBURG, ONTARIO, CANADA
CHECKED #	APPROVED #	DRAWING NO. D350-748-141	REV. 0 SHEET 3 OF 3
DATE 06.10.31	TITLE CROSSTUBE (AS 350/355 HI FWD)	SCALE 1:3	

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 28455.0

